

Technical data sheet

Application:

WF-711502

Non-woven paper

| Property | Unit | Value | Method |
|---------------------------|------------------|----------|----------------|
| Basis Weight | g/m ² | 150±4 | GB/T451.2-2002 |
| Thickness | μm | 350±10 | GB/T451.3-2002 |
| Dry tensile strength (CD) | KN/m | 2.6±0.3 | GB/T12914 |
| Dry tensile strength (MD) | KN/m | 4.8±0.3 | GB/T12914 |
| Wet tensile strength (CD) | KN/m | 1.23±0.3 | GB/T12914 |
| Wet tensile strength (MD) | KN/m | 2.21±0.3 | GB/T12914 |
| Wet expansion rate (CD) | % | < 0.3 | GB/T22899 |
| Opacity | % | 88 | GB/T1543 |
| Water absorption | s | > 300 | |
| Moisture | % | 6.0±0.5 | GB/T462 |

Contact

Web: www.tjs-nonwoven.com

Tel/Fax: +86 10 64783159

Mail: info@tjs-nonwoven.com

Phone: +86 17501070309

Add: North of Shifu Street and west of Shengxing Road, Xinji City Hebei, China

Tianjinsheng Non-Woven Technology Co., Ltd.